



دانشگاه علوم پزشکی
و خدمات بهداشتی در مانی کرمانشاه

پروژه آموزش

و انگیزگی به روز نمودن منابع در سایت گوناگون استاکر

گروه هدف: کلیه اعضای هیئت مدیره و هیئت علمی و دانشجویان گرامی

پایه: می توان بدون نیاز به انگیز از جستجو در سایت گوناگون استاکر از انگیز و به روزترین مطالب در زمینه موضوع مورد مطالعه خود اطلاع حاصل نمود



توسعه سیستم‌های

کتابخانه مرکزی

حوزه معاونت تحصیلات و فناوری

چگونگی به روز نمودن منابع در سایت گوگل اسکالر

با استفاده از قابلیت ایجاد هشدار (Create alert) در سایت گوگل اسکالر می‌توان بدون نیاز به تکرار جستجو از آخرین مقالات به روز در زمینه عبارت جستجوی خود مطلع شد.

ایجاد هشدار (Create alert) یکی از خدمات سایت گوگل اسکالر می‌باشد که در هنگام جستجو در این موتور جستجو و بدون نیاز به ایجاد حساب شخصی یک پژوهشگر می‌تواند برای به روز نمودن عبارت جستجوی مورد نیاز خود اقدام کند.

این خدمت در شکل شماره یک در صفحه اول سایت گوگل اسکالر به آدرس <http://scholar.google.com> قابل مشاهده است.

در کنار جستجو، عبارت جستجوی مورد نظر خود را وارد نمایید. سپس روی گزینه جستجو کلیک نمایید تا صفحه جدیدی باز شود.

Google
Scholar

repleasin lung cancer bladder



Articles (17 exclude patents) Case law

Stand on the shoulders of giants

در صفحه جدید قسمت پایین و سمت چپ گزینه Create alert را که با خط قرمز رنگ نشان داده شده است انتخاب نمایید.

Google

repleasin lung cancer bladder



Articles

Showing 10-200 results of 100 total

Abstracts

Translating genes of human bladder and lung carcinoma cell lines and homologous to the top genes of therapy and kinase carcinoma models

pmid 26611012

Full text

Cell line 10 abstracts - 17% relevance of the 1000 abstracts total

My library

10 Full text lung and bladder carcinoma and related kinase carcinoma homologous abstracts

Full text

Abstracts 10 abstracts lung carcinoma 10 abstracts of the kinase carcinoma cell line

Full text

Started: 10 abstracts in bladder and lung cancer mortality in a region of Southern China

pmid 26611012

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

pmid 26611012

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

pmid 26611012

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

Full text

10 abstracts in bladder and lung cancer mortality in a region of Southern China

صفحه Create alert در گوگل اسکالر برای روزآمد کردن نتایج

در این قسمت آدرس پست الکترونیک خود را درج نمایید و روی گزینه Create alert کلیک نمایید تا نتایج حاصل از این تاریخ به بعد بدون نیاز به تکرار مجدد جستجو، از طریق ایمیل به شما اطلاع داده شود.

Create alert

First name:

Email:

Number of results:

Submit results:

Sample results since 2017:

Using established occupational respiratory cancer risk factors for assessing the internal validity in an occupational case control study in the Carcinoma Project of 2011

St. Stephan, Ull, Steyer, J, Pappas, S, Galle, C. *Carcinoma project of 2011*

... respiratory questionnaire-based, date, date and smoking history and respiratory tract symptoms ...

... finding of a statistically significant association between oral exposure and lung cancer (OR = 1.18) ...

... suggesting that there is the hypothesis of an oral-exposure risk factor cancer ...

Identification of occupational, ICD exposures by the Carcinoma Project: internal and external validity of the

project of lung cancer with internal assessment of 2017/2018

St. Stephan, Ull, Steyer, J, Pappas, S, Galle, C. *Carcinoma project 2017*

... respiratory questionnaire-based, date, date and smoking history and respiratory tract symptoms ...

... finding of a statistically significant association between oral exposure and lung cancer (OR = 1.18) ...

... suggesting that there is the hypothesis of an oral-exposure risk factor cancer ...

گزینه Update results نتایج حاصل از عبارت جستجوی مورد نظر شما را به ترتیب زمانی از جدیدترین نتیجه تا قدیمی ترین آن را مطابق شکل زیر ارائه می دهد.

Create alert

First name:

Email:

Number of results:

Submit results:

Sample results since 2017:

Using established occupational respiratory cancer risk factors for assessing the internal validity in an

occupational case control study in the Carcinoma Project of 2011

St. Stephan, Ull, Steyer, J, Pappas, S, Galle, C. *Carcinoma project of 2011*

... respiratory questionnaire-based, date, date and smoking history and respiratory tract symptoms ...

... finding of a statistically significant association between oral exposure and lung cancer (OR = 1.18) ...

... suggesting that there is the hypothesis of an oral-exposure risk factor cancer ...

Identification of the occupational, ICD exposures by the Carcinoma Project: internal and external validity of the

project of lung cancer with internal assessment of 2017/2018

St. Stephan, Ull, Steyer, J, Pappas, S, Galle, C. *Carcinoma project 2017*

... respiratory questionnaire-based, date, date and smoking history and respiratory tract symptoms ...

... finding of a statistically significant association between oral exposure and lung cancer (OR = 1.18) ...

... suggesting that there is the hypothesis of an oral-exposure risk factor cancer ...